

*Silakan lisäärvomahdollisuudet*

*Kirjallisuushakuihin perustuva taustaselvitys silakan ravintokoostumuksesta*

*Selvityksen taustakirjallisuutta ja verkkolähteitä*



*Päivi Laine, Elisa Mikkilä, Teija Kirkkala*



*Pyhäjärvi-instituutti*

*2017*

## 'Silakan lisäärvomahdollsuedet' -hanke

*Kirjallisuushakuihin perustuva selvitys silakan ravintokoostumuksesta.  
Selvityksen taustakirjallisuutta ja verkkoläheteitä.*

Aam, S., 2015, "Arctic nutrition Lagar proteinpulver av sildergogn", Sunnmörsposten 29.9.2015.  
<http://www.smp.no/nyheter/article11625793.ece>

Adarme-Vega, T.C., Thomas-Hall, S.R. & Schenk, P.M., 2014, "Towards sustainable sources for omega-3 fatty acids production", Current opinion in biotechnology, vol. 26, pp. 14-18.

Aidos, I., Van der Padt, A., Luten, J.B. & Boom, R.M., 2002, "Seasonal Changes in Crude and Lipid Composition of Herring Fillets, Byproducts, and Respective Produced Oils", J. Agric. Food Chem., vol. 50, pp. 4589-4599.

Airaksinen, S., Honkanen, A., Setälä, J. & Vielma, J., 2010, "Pilottihanke vajaasti hyödynnetyn kalan käytön edistämiseksi. MARINE INGREDIENTS-KONFERENSSI OSLO 20. - 21.9.2010. Matkakertomus."

Anon., 2005. "Atlantic Herring (*Clupea harengus harengus*) Fishery Management Plan (FWP): Environmental Impact Statement". New England Fishery Management Council.

Anon., 2008, "Nofima Fight Malnutrition with Herring Milt", The Fish Site News, 18 December 2008.  
<https://thefishsite.com/articles/nofima-fight-malnutrition-with-herring-milt>

Anon., 2010, "Scientific Opinion on the safety of 'Sardine Peptide Product'", EFSA Journal 2010; 8(7): 1684.

Anon., 2011, "Itämeren kalan ja muun kotimaisen kalan ympäristömyrkyt: PCDD/F-, PCB-, PBDE-, PFC ja OT-yhdisteet, EU-kalat II", Eviran tutkimuksia 2/2011.

Arctic Nutrition, 2016. "Arctic nutrition PRODUCT PORTFOLIO". <http://www.arcticnutrition.no/product-portfolio>

Arctic Nutrition, 2015. "ASX-Listed Holista CollTech Unveils Herring Caviar Fish Oil in Asia; "3rd Generation" Omega 3 Significantly Higher Rate of Absorbing Nutrients".  
[http://www.arcticnutrition.no/news/herring-caviar-fish-oil-in-asia?command=article.getAttachment&articleId=132005&file=asx\\_mopl\\_release.pdf](http://www.arcticnutrition.no/news/herring-caviar-fish-oil-in-asia?command=article.getAttachment&articleId=132005&file=asx_mopl_release.pdf).

Arctic Nutrition, "Arctic Nutrition News". [http://www.arcticnutrition.no/news\\_](http://www.arcticnutrition.no/news_)

Aro, T.L., Larmo, P.S., Bäckman, C.H., Kallio, H.P. & Tahvonen, R.L., 2005, "Fatty acids and fat-soluble vitamins in salted herring (*Clupea harengus*) products.", J Agric Food Chem., vol. 53, no. 5, pp. 1482.

Aro, T., Tahvonen, R., Mattila, T., Nurmi, J., Sivoneh, T. & Kallio, H., 2000, "Effects of season and processing on oil content and fatty acids of Baltic herring (*Clupea harengus membras*)", Journal of Agricultural and Food Chemistry, vol. 48, no. 12, pp. 6085-6093.

Bechtel, P.J. & Smiley, S. (eds), 2010, "A sustainable future: fish processing byproducts. Proceedings of the symposium: A Sustainable Future: Fish Processing Byproducts."

Bjørndal, B., 2014, "Phospholipids from Herring Roe Pre-clinical and clinical data." University of Bergen, Department of Clinical Science, UiB Department of Clinical Science. (Presentation).

Bjørndal, B., Strand, E., Gjerde, J., Bohov, P., Svardal, A., Diehl, B., W.K., Innis, S., M., Berger, A., & Berge, R., K., 2014, "Phospholipids from herring roe improve plasma lipids and glucose tolerance in healthy, young adults", *Lipids in Health and Disease*, vol. 13, no. 82, pp. 12.

Blank, C., 2016, "Entrepreneurs getting creative with seafood byproducts", SeafoodSource, News September 27, 2016. <https://www.seafoodsource.com/news/supply-trade/entrepreneurs-getting-creative-with-seafood-byproducts>

Carvajal, A., Slizyte, R., Storrø, I. & Aursand, M., 2015, "Production of High Quality Fish Oil by Thermal Treatment and Enzymatic Protein Hydrolysis from Fresh Norwegian Spring Spawning Herring By-Products", *Journal of Aquatic Food Product Technology*, vol. 24, no. 8, pp. 807-823.

Chalamaiyah, M., Kumar, B.D., Hemalatha, R. & Jyothirmayi, T., 2012, "Fish protein hydrolysates: Proximate composition, amino acid composition, antioxidant activities and applications: A review", *Food Chemistry*, vol. 135, no. 4, pp. 3020-3038.

Chalmers University of Technology, 2012, "Herring can give us even more food (Sofia Marmon recently defended her PhD thesis at Chalmers University of Technology. She has succeeded in making use of the proteins in herring, using a method that is known as the pH-shift process.)".  
<http://www.chalmers.se/en/news/Pages/Herring-can-give-us-even-more-food.aspx>.

Chalmers University of Technology, 2008, "Herring both healthful and environmentally friendly (The dissertation "Influence of Herring (*Clupea harengus*) Intake on Risk Factors for Cardiovascular Disease" was defended on June 13.)". <http://www.chalmers.se/en/news/Pages/herring-both-healthful-and-environmentally-friendly.aspx>.

Cian, R.E., Martnez-Augustin, O. & Drago, S.R., 2012, "Bioactive properties of peptides obtained by enzymatic hydrolysis from protein byproducts of *Porphyra columbina*", *Food Research International*, vol. 49, no. 1, pp. 364-372.

CBC Group. "VALTYRON. A revolutionary new approach to blood pressure control-as nature intended".  
[www.cbceurope.it/images/stories/file/chemical/valtyron.pdf](http://www.cbceurope.it/images/stories/file/chemical/valtyron.pdf)

CLS Technology. "Arctic Caviar". <http://cls.technology/active-ingredients/arctic-caviar/>.

Daniells, S., 2013, "Scouler teams up with Arctic Nutrition of Norway to offer herring caviar extract", Nutraingredients-usa.com, News in brief, 6 Sep 2013. <https://www.nutraingredients-usa.com/Article/2013/09/06/Scouler-teams-up-with-Arctic-Nutrition-of-Norway-to-offer-herring-caviar-extract>

DCC Health and Beauty Solutions, 2013, "Product showcase. Arctic Nutrition Herring Caviar Marine Omega-3 Phospholipids".  
[http://www.dcchealthandbeauty.com/files/Newsletter\\_DCC\\_Health\\_\\_Beauty\\_-\\_Vitafoods\\_2013\\_DCC\\_Product\\_Showcase.pdf](http://www.dcchealthandbeauty.com/files/Newsletter_DCC_Health__Beauty_-_Vitafoods_2013_DCC_Product_Showcase.pdf).

- Digre, H., Standal, IB, Kristinova, V., Hyldig, G., Undeland, I., Rustad, T., Mozuraityte, R., 2016, "Preserving the positive health effects in innovative pelagic fish products through the value chain (ProHealthPelagic)", Final report, SINTEF Fisheries and Aquaculture, Processing technology, 2016-01-28.
- Egede-Nissen, H., Vogt, G., Høstmark, Ø., Oterhals, Å., 2013, "Sensory quality of herring milt powder tested at accelerated storage conditions", International Marine Ingredients Conference 2013, Oslo September 22-24.
- Egede-Nissen, H., 2013, "Utvikling av høykvalitets pulverprodukt fra sildemelke: Oppfølgingsprosjekt. Sluttrapport", Nofima Rapport 20/2013.
- Egwim, E.C., Adefolalu, F.S. & Josiah, I., 2013, "Evaluation of herring (*clupea spp*) fish eggs as a potential source of dietary protein in animal model", Herald Journal of Agriculture and Food Science Research, vol. 2, no. 4, pp. 120-125.
- FHF Fiskeri- og havbruksnæringens forskningsfond, 2014, "Vil cetolinsyre (22:1n-11) fra lodde-, sild- og tobisolje føre til bedret utnyttelse av omega-3-fettsyrer i laks og humane celler?". [www.fhf.no/prosjektdetaljer/?projectNumber=901017](http://www.fhf.no/prosjektdetaljer/?projectNumber=901017).
- Fineli. Fineli-koostumustietokannan versio 18 (10.1.2017), Terveyden ja hyvinvoinnin laitos, Helsinki. [www.fineli.fi](http://www.fineli.fi).
- Fineli, "Silakka tuore Itämeri".  
<https://fineli.fi/fineli/fi/elintarvikkeet/800?q=silakka&foodType=ANY&portionUnit=G&portionSize=100&sortByColumn=name&sortOrder=asc&component=2331&>.
- Fineli, "Silakkafilee".  
<https://fineli.fi/fineli/fi/elintarvikkeet/29207?q=silakka&foodType=ANY&portionUnit=G&portionSize=100&sortByColumn=name&sortOrder=asc&component=2331&>.
- Freitas, A.C., Andrade, J.C., Silva, F.M., Rocha-Santos, T.A.P., Duarte, A.C. & Gomes, A.M., 2013, "Antioxidative peptides: Trends and perspectives for future research", Current medicinal chemistry, vol. 20, no. 36, pp. 4575-4594.
- Gabrielsson, B.G., Wikström, J., Jakubowicz, R., Marmon, S.K., Carlsson, N-G., Jansson, N., Gan, L-M. Undeland, I., Lönn, M., Holmäng, A. & Ann-Sofie Sandberg, A-S., 2012, "Dietary herring improves plasma lipid profiles and reduces atherosclerosis in obese low-density lipoprotein receptor-deficient mice", International Journal of Molecular Medicine, 29: 331-337.
- Geirsdóttir, M., 2005, "Protein isolation from herring", Nordic Innovation Centre, Copenhagen: Nordic Council of Minister.
- Gómez-Guillén, M.C., Giménez, B., López-Caballero, M.E. & Montero, M.P., 2011, "Functional and bioactive properties of collagen and gelatin from alternative sources: A review", Food Hydrocolloids, vol. 25, no. 8, pp. 1813-1827.
- Gracey, E., 2014, "MFA of omega-3 fatty acids EPA & DHA from a Norwegian resource perspective. Implications for future growth in fisheries and aquaculture toward 2050", Norwegian University of Science and Technology, Department of Energy and Process Engineering.

Gringer, N., Hosseini, S.V., Svendsen, T., Undeland, I., Christensen, M.L. & Baron, C.P., 2015, "Recovery of biomolecules from marinated herring (*Clupea harengus*) brine using ultrafiltration through ceramic membranes", LWT - Food Science and Technology, vol. 63, no. 1, pp. 423-429.

Gringer, N., Safafar, H., Mesnildot, A.D., Nielsen, H.H., Rogowska-Wrzesinska, A., Undeland, I. & Baron, C.P., 2016, "Antioxidative low molecular weight compounds in marinated herring (*Clupea harengus*) salt brine", Food Chemistry, vol. 194, pp. 1164-1171.

Gringer, N., Osman, A., Nielsen, H.H., Undeland, I., Baron, C.P., 2014, "Chemical Characterization, Antioxidant and Enzymatic Activity of Brines from Scandinavian Marinated Herring Products", J Food Process Technol, 2014, 5:7.

Halim, N.R.A., Yusof, H.M. & Sarbon, N.M., 2016, "Functional and bioactive properties of fish protein hydrosates and peptides: A comprehensive review", Trends in Food Science & Technology, vol. 51, pp. 24-33.

Hallikainen, A., Kiviranta, H., Isosaari, P., Vartiainen, T., Parmanne, R. & Vuorinen, P.J., 2004, "Kotimaisen järvi- ja merikalalan dioksiinien, furaanien, dioksiinien kaltaisten PCB-yhdisteiden ja polybromattujen difenyylieettereiden pitoisuudet. EU-KALAT".

Hamed, I., Özogul, F., Özogul, Y. & Regenstein, J.M., 2015, "Marine Bioactive Compounds and Their Health Benefits: A Review", Comprehensive Reviews in Food Science and Food Safety, Vol. 14, 446-465.

Hamre, K., Lie, Ø. & Sandnes, K., 2003, "Seasonal development of nutrient composition, lipid oxidation and colour of fillets from Norwegian spring-spawning herring (*Clupea harengus* L.)", Food Chemistry, vol. 82, no. 3, pp. 441-446.

Havenaar, R., Maathuis, A., Jong, A.d., Mancinelli, D., Berger, A. & Bellmann, S., 2016, "Herring roe protein has a high Digestible Indispensable Amino Acid Score (DIAAS) using a dynamic in vitro gastrointestinal model", Nutrition Research, vol. 36, no. 8, pp. 798-807.

Hayes, M., Brijesh kumar, T., 2015, "Bioactive Carbohydrates and Peptides in Foods: An Overview of Sources, Downstream Processing Steps and Associated Bioactivities", International journal of molecular sciences. 16. 22485-22508.

Herring Academy - "Nutrition". <https://herring.fromnorway.com/herring/nutrition/>

Inter Techno Co., Ltd. "Super SP100 (Sardine peptide)". <https://www.ably.co.jp/aben/iwasi/index.html>

Järvinen, A., 2012, "Poistokala, sen proteiinit ja kalajauho", opinnäytettyö, Turun AMK.

Jensen, K.N., Jacobsen, C. & Nielsen, H.H., 2007, "Fatty acid composition of herring (*Clupea harengus* L.): influence of time and place of catch on n-3 PUFA content", Journal of the science of food and agriculture, vol. 87, no. 4, pp. 710-718.

Jensen, K.N., Jacobsen, C. & Nielsen, H.H., 2007, "Fatty acid composition of herring (*Clupea harengus* L.): influence of time and place of catch on n-3 PUFA content", Journal of the science of food and agriculture, vol. 87, no. 4, pp. 710-718.

Kaitaranta, J.K. & Ackman, R.G., 1981, "Total lipids and lipid classes of fish roe", Comp. Biochem. Physiol., vol. 69B, pp. 725-729.

Kaitaranta, J.K., Lamppu, R. & Linko, R.R., 1980, "Amino acid content of Baltic herring and rainbow trout roe", J. Agric. Food Chem., vol. 28, no. 5, pp. 908-911.

Kaitaranta, J.K. & Linko, R.R., 1984, "Fatty acids in the roe lipids of common food fishes", Comparative Biochemistry and Physiology -- Part B: Biochemistry and, vol. 79, no. 3, pp. 331-334.

Keinänen, M., Käkelä, R., Ritvanen, T., Myllylä, T., Pönni, J., Vuorinen, P.J., 2017, "Fatty acid composition of sprat (*Sprattus sprattus*) and herring (*Clupea harengus*) in the Baltic Sea as potential prey for salmon (*Salmo salar*)", Helgoland Marine Research 2017, 71:4.

Khora, S.S., 2013, "Marine fish-derived bioactive peptides and proteins for human therapeutics", International Journal of Pharmacy and Pharmaceutical Sciences, vol. 5, no. SUPPL 3, pp. 31-37.

Kim, Se-Kwon (ed.), 2014. "Seafood processing by-products: trends and applications", Springer, Berlin.

Kim, Se-Kwon (ed.), 2013. "Marine proteins and peptides: biological activities and applications", 2013, John Wiley & Sons Inc, Chichester England.

Kolodziejska, I., Skierka, E., Sadowska, M., Kolodziejski, W. & Niecikowska, C., 2008, "Effect of extracting time and temperature on yield of gelatin from different fish offal", Food Chemistry, vol. 107, no. 2, pp. 700-706.

Kristiansen, N., 2012, "Prospecting herring waste". <http://sciencenordic.com/prospecting-herring-waste>.

Laaksonen, L., 2014, "Itämeren makeutumisen vaikutus silakan ja silakan ravinnon rasvahappoostumukseen", opinnäytetyö (AMK), Bio- ja elintarviketekniikka, Biotekniikka, Turun ammattikorkeakoulu.

Laine, P., 1991, "Lisääntymisajankohdan, naaraan koon ja kunnon vaikutus silakan (*Clupea harengus membras* L.) mätimunien määärään ja laatuun.", Pro Gradu -tutkielma, Turun yliopisto.

Laine, P., 2003, "Regulation of reproductive success in Baltic herring (*Clupea harengus membras*): individual effort meets the environment", ANNALES UNIVERSITATIS TURCUENSIS SER. AII – TOM. 166.

Lane, H.A., Westgate, A.J. & Koopman, H.N., 2011, "Ontogenetic and temporal variability in the fat content and fatty acid composition of Atlantic herring (*Clupea harengus*) from the Bay of Fundy, Canada", Fish. Bull., vol. 109, pp. 113-122.

Liceaga-Gesualdo, A.M. & Li-Chan, E.C.Y., 1999, "Functional Properties of Fish Protein Hydrolysate from Herring (*Clupea harengus*)", Journal of Food Science, vol. 64, no. 6, pp. 1000-1004.

Lindberg, D., Myrnes, B., Arnesen, J. & Øverbø, K., 2014, "HerrZyme - Enzymkarakterisering og teknologiutvikling for kommersialisering av enzym fra restråstoff av sild".

Lindberg, D., Myrnes, B., Øverbø, K., Arnesen, J.A., Nilsen, I.W., 2013, "Herring – a Golden Prospect?", Norwegian Institute of Food, Fisheries and Aquaculture Research (posteri).

Lindqvist, H.M., Langkilde, A-M., Undelandand, I., Sandberg, A-S., 2009, "Herring (*Clupea harengus*) intake influences lipoproteins but not inflammatory and oxidation markers in overweight men", British Journal of Nutrition, 101, 383–390.

Linko, R.R., Kaitaranta, J.K. & Vuorela, R., 1985, "Comparison of the fatty acids in Baltic herring and available plankton feed", Comp. Biochem. Physiol., vol. 82B, pp. 699-705.

Livsmedelsdatabasen. Versio 2017-02-02. Livsmedelsverket. Uppsala.  
<http://www7.slv.se/SokNaringsinnehall>.

Lordan, S., Ross, R.P., Stanton, C., 2011, "Marine Bioactives as Functional Food Ingredients: Potential to Reduce the Incidence of Chronic Diseases", Mar. Drugs 2011, 9, 1056-1100.

Luonnonvarakeskus, 2016, "Uusi kalajauhotehdas antaa pirstysruiskeen koko kalataloudelle".  
<https://www.luke.fi/uutiset/uusi-kalajauhotehdas-antaa-pirstysruiskeen-kalataloudelle/>.

Luonnonvarakeskus, 2016, "Silakan tuotjahinta laski". <https://www.luke.fi/uutiset/silakan-tuottajahinta-laski/>

Luonnonvarakeskus, 2016, " Silakasta on moneksi". <https://www.luke.fi/uutiset/silakasta-on-moneksi/>

Lyutova, E.V. & Klyuchko, N.Y., 2014, "Study of biological value of herring roe and milt as the raw material for the processed cheese cooking", Vestnik of Astrakhan State Technical University. Series: Fishing Industry. Sep2014, Issue 3, p116-123.

Marmon, S.K., Liljelind, P. & Undeland, I., 2009, "Removal of Lipids, Dioxins, and Polychlorinated Biphenyls during Production of Protein Isolates from Baltic Herring (*Clupea harengus*) Using pH-Shift Processes ", J. Agric. Food Chem., vol. 57, no. 17, pp. 7819-7825.

Marmon, S., 2012, "Protein isolation from herring (*Clupea harengus*) using the pH-shift process", CHALMERS UNIVERSITY OF TECHNOLOGY, Department of Chemical and Biological Engineering.

Marmon, S.K. & Undeland, I., 2010, "Protein isolation from gutted herring (*Clupea harengus*) using pH-shift processes", Journal of Agricultural and Food Chemistry, vol. 58, no. 19, pp. 10480-10486.

Mika, A., Golebiowski, M., Skorkowski, E.F. & Stepnowski, P., 2012, "Composition of fatty acids and sterols composition in brown shrimp *Crangon crangon* and herring *Clupea harengus membras* from the Baltic Sea", Oceanological and Hydrobiological Studies, vol. 41, no. 2, pp. 57-64.

Mol, S. & Turan, S., 2008, "Comparison of proximate, fatty acid and amino acid compositions of various types of fish roes", International Journal of Food Properties, vol. 11, no. 3, pp. 669-677.

Moriya, H., Hosokawa, M. & Miyashita, K., 2007, "Combination Effect of Herring Roe Lipids and Proteins on Plasma Lipids and Abdominal FatWeight of Mouse", Food Chemistry and Toxicology, vol. 72, no. 5, pp. 231-234.

Moriya, H., Kuniminato, T., Hosokawa, M., MIYASHITA, K., Nishiyama, T. & Miyashita, K., 2007, "Oxidative stability of salmon and herring roe lipids and their dietary effect on plasma cholesterol levels of rats", Fish. Sci., vol. 73, pp. 668-674.

Mutanen, M., Koivistoisten, P., Morris, V.C. & Levander, O., 1986, "Nutritional availability to rats of selenium in four seafoods: crab (*Callinectes sapidus*), oyster (*Crassostrea virginica*), shrimp (*Penaeus duorarum*) and Baltic herring (*Clupea harengus*)". British Journal of Nutrition, 55, 219-225.

Najafian, L. & Babji, A.S., 2012, "A review of fish-derived antioxidant and antimicrobial peptides: Their production, assessment, and applications", Peptides, vol. 33, no. 1, pp. 178-185.

National Nutrition, "ATLANTIC HERRING ROE EXTRACT".

[http://www.nationalnutrition.ca/Articles\\_Atlantic\\_Herring\\_Roe.aspx](http://www.nationalnutrition.ca/Articles_Atlantic_Herring_Roe.aspx).

Ngo, D.-. & Kim, S., 2013, "Marine bioactive peptides as potential antioxidants", Current Protein and Peptide Science, vol. 14, no. 3, pp. 189-198.

Ngo, D., Vo, T., Ngo, D., Wijesekara, I. & Kim, S., 2012, "Biological activities and potential health benefits of bioactive peptides derived from marine organisms", International journal of biological macromolecules, vol. 51, no. 4, pp. 378-383.

Nicholson, J.W.G. & Johnson, D.A., 1991,

"Herring silage as a protein supplement for young cattle", Can. J. Anim. Sci., vol. 71, pp. 1187-1196.

Nie, X.-., Zie, J., Hubner, N., Tallmark, B. & Snoeijs, P., 2011, "Why Baltic herring and sprat are weak conduits for astaxanthin from zooplankton to piscivorous fish", Limnology and Oceanography, vol. 56, no. 3, pp. 1155-1167.

Nishimura, M., Ohkawara, T., Kobayashi, H., Sato, Y., Munekata, M. & Nishihira, J., 2016, "The effects of herring-roe lyophilized powder on lipid metabolism", Journal of Traditional and Complementary Medicine, vol. 6, no. 3, pp. 247-251.

Nutritiondata.com, "Fish, herring, Atlantic, raw Nutrition Facts & Calories".

<http://nutritiondata.self.com/facts/finfish-and-shellfish-products/4065/2>.

Osajima K1, Ninomiya T, Harwood M, Danielewska-Nikiel B., 2009, Safety evaluation of a peptide product derived from sardine protein hydrolysates (valtyron)", Int J Toxicol. 2009 Sep-Oct;28(5):341-56.

Osman, A., Gringer, N., Svendsen, T., Yuan, L., Hosseini, S.V., Baron, C.P. & Undeland, I., 2015, "Quantification of biomolecules in herring (*Clupea harengus*) industry processing waters and their recovery using electroflocculation and ultrafiltration", Food and Bioproducts Processing, vol. 96, pp. 198-210.

Pampanin, D.M., Larssen, E., Provan, F., Sivertsvik, M., Ruoff, P. & Sydnes, M.O., 2012, "Detection of small bioactive peptides from Atlantic herring (*Clupea harengus L.*)", Peptides, vol. 34, no. 2, pp. 423-426.

Pesonen, T., Tuominen, A. & Halme, E., 1957, "Silakan rasvapitoisuus eri vuodenaikeina ja eri kalastusalueilla", Turkistalous, vol. 29, no. 5A, pp. 118-125.

Raghuraman, H., 2013, "Extraction of sulfated glycosaminoglycans from mackerel and herring fish waste", MSc thesis, Dalhousie University, Halifax, Nova Scotia.

Raisioagro, 2016, "Raisio mukana kestävän kehityksen yhteiskuntasitoumeksessa".  
[http://www.raisioagro.com/kalauutiset/-/asset\\_publisher/OUq7cO85U](http://www.raisioagro.com/kalauutiset/-/asset_publisher/OUq7cO85U).

Raisioagro, 2016, "Uusi innovaatio: Kalanrehun raaka-aineena silakka jalostuu kirjoloheksi".  
[http://www.raisioagro.com/kalauutiset/-/asset\\_publisher/OUq7cO85UtDy/content/itamerisyomalla-parempaan-kuntoon?\\_101\\_INSTANCE\\_OUq7cO85UtDy\\_redirect=http%3A%2F%2Fwww.raisioagro.com%2Fkalauutiset%3Fp\\_p\\_id%3D101\\_INSTANCE\\_OUq7cO85UtDy%26p\\_p\\_lifecycle%3D0%26p\\_p\\_state%3Dnormal%26p\\_p\\_mode%3Dview%26p\\_p\\_col\\_id%3Dmain-content-2%26p\\_p\\_col\\_count%3D1&redirect=http%3A%2F%2Fwww.raisioagro.com%2Fkalauutiset%3Fp\\_p\\_id%3D101\\_INSTANCE\\_OUq7cO85UtDy%26p\\_p\\_lifecycle%3D0%26p\\_p\\_state%3Dnormal%26p\\_p\\_mode%3Dview%26p\\_p\\_col\\_id%3Dmain-content-2%26p\\_p\\_col\\_count%3D1](http://www.raisioagro.com/kalauutiset/-/asset_publisher/OUq7cO85UtDy/content/itamerisyomalla-parempaan-kuntoon?_101_INSTANCE_OUq7cO85UtDy_redirect=http%3A%2F%2Fwww.raisioagro.com%2Fkalauutiset%3Fp_p_id%3D101_INSTANCE_OUq7cO85UtDy%26p_p_lifecycle%3D0%26p_p_state%3Dnormal%26p_p_mode%3Dview%26p_p_col_id%3Dmain-content-2%26p_p_col_count%3D1&redirect=http%3A%2F%2Fwww.raisioagro.com%2Fkalauutiset%3Fp_p_id%3D101_INSTANCE_OUq7cO85UtDy%26p_p_lifecycle%3D0%26p_p_state%3Dnormal%26p_p_mode%3Dview%26p_p_col_id%3Dmain-content-2%26p_p_col_count%3D1).

Rajasilta, M., 1992, "Relationship between food, fat, sexual maturation and spawning time of Baltic herring (*Clupea harengus membras*) in the Archipelago Sea.", Can. J. Fish. Aquat. Sci., vol. 49, pp. 644-654.

Rajasilta, M., Eklund, J., Laine, P., Jönsson, N., Lorenz, T., 2006, "Intensive monitoring of spawning populations of the Baltic herring. Final report of the study project ref. No 96-068, 1997-1999", SEILI Archipelago Research Institute Publications 3.

Ramsøy, D., Gundersen, B. & Sørensen, N., 2005, "Protein Isolation from Herring. Textural and colour properties of different fish proteins isolated at high or low pH", Fiskeriforskning (Norwegian Institute of Fisheries and Aquaculture Research), Bergen.

Richards, L., 2016, "Norwegian researchers catch herring's hidden health benefits".  
<http://www.nutraingredients.com/Research/Norwegian-researchers-catch-herring-s-hidden-health-benefits>.

Richardson, R., 2013, "Norsk marin ingrediensindustri. Struktur og lønnsomhet 2007-2011", SINTEF Rapport A24226.

Ross, A.B., Svelander, C., Undeland, I., Pinto, R. & Sandberg, A-S., 2015, "Herring and Beef Meals Lead to Differences in Plasma 2-Aminoacidic Acid, b -Alanine, 4-Hydroxyproline, Cetoleic Acid, and Docosahexaenoic Acid Concentrations in Overweight Men", The Journal of Nutrition, Genomics, Proteomics, and Metabolomics, 2015, pp. 2456-2463.

Røjbek, M.C., Tomkiewicz, J., Jacobsen, C. & Stttrup, J.G., 2014, "Forage fish quality: Seasonal lipid dynamics of herring (*Clupea harengus* L.) and sprat (*Sprattus sprattus* L.) in the Baltic Sea", ICES Journal of Marine Science, vol. 71, no. 1, pp. 56-71.

Ruyter, B. 2016, "Herring is better for you than we thought | Nofima".  
<http://nofima.no/en/nyhet/2016/01/herring-is-better-for-you-than-we-thought/>.

Saltvedt, E., 2015, "Protein Hydrolysates and Oil from Herring Rest Raw Material Effect of Storage Conditions on Yield and Properties", MTech thesis, Department of Biotechnology, Norwegian University of Science and Technology.

Sathivel, S., Bechtel, P.J. Babbitt, J., Prinyawiwatkul, W, Negulescu, I.I. & Repond, K.D., 2004. Properties of Protein Powders from Arrowtooth Flounder (*Atheresthes stomias*) and Herring (*Clupea harengus*) Byproducts. J. Agric. Food Chem. 2004, 52, 5040-5046.

Schultz, H. 2016, "ARCTIC NUTRITION MAKES FORMAL US MARKET ENTRY WITH OMEGA-3, PROTEIN INGREDIENTS FROM HERRING ROE". <http://www.nutraingredients-usa.com/Suppliers2/Arctic-Nutrition-makes-formal-US-market-entry-with-omega-3-protein-ingredients-from-herring-roe>.

Scouler company, 2016, "Romega presentation".

<https://www.google.fi/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwjjque7v-bOAhUECywKHZcAB1QQFggbMAA&url=https%3A%2F%2Fwww.scouler.com%2Fwp-content%2Fuploads%2F2013%2F09%2FRomega-Presentation.pdf&usg=AFQjCNGTCJhvskFnFS6rUw9g-e4KocbvjA>.

Setälä, J., Airaksinen, S., Lilja, J. & Raitaniemi, J., 2012, "Pilottihanke vajaasti hyödynnetyn kalan käytön edistämiseksi. Loppuraportti", Riista- ja kalatalouden tutkimuslaitos, Helsinki.

Setälä, J., Kankainen, M., Vielma, J., Niukko, J., Pitkämäki, A., Saario, M., Ahvenharju, S., Hillgren, A. & Tommila, P., 2016, "Itämerirehua kotimaisista kalavirroista. Loppuraportti", Luonnonvara- ja biotalouden tutkimus 28/2016, Luonnonvarakeskus, Helsinki.

Setälä, J. & Saarni, K., 2015, "Kalamarkkinakatsaus 2014". Luke.

Shahidi, F. & Ambigaipalan, P., 2015, "Novel functional food ingredients from marine sources", Current Opinion in Food Science, vol. 2, pp. 123-129.

Shaviklo, A.R., 2015, "Development of fish protein powder as an ingredient for food applications: a review", J Food Sci Technol (February 2015) 52(2):648–661.

Sintef, "Mobile Sealab - a hydrolysis factory in a container" [2016, 08/26].

Šližytė, R., Carvajal, A.K., Mozuraityte, R., Aursand, M. & Storrø, I., 2014, "Nutritionally rich marine proteins from fresh herring by-products for human consumption", Process Biochemistry, vol. 49, no. 7, pp. 1205-1215.

Slotte, A., 1996, "Relations between seasonal migrations and fat content in Norwegian spring spawning herring (*Clupea harengus* L.)", ICES C.M., , no. H:11, Pelagic Fish Committee, pp. 1-19.

Starling, S., 2015, "Scandinavian herring roe starting to deliver on omega-3 promise".  
<http://www.nutraingredients.com/Markets-and-Trends/Scandinavian-herring-roe-starting-to-deliver-on-omega-3-promise>.

Suomen kalankasvattajaliitto ry., 14.6.2016, "Itämeri syömällä parempaan kuntoon. Uusi innovaatio: Kalanrehun raaka-aineena silakka jalostuu kirjoloheksi". <http://www.kalankasvatus.fi/itamerisyomalla-parempaan-kuntoon/>

Lohikunta, 15.6.2016, "Kotimainen kirjolohi voi korvata norjanlohen lautasiltamme – Kalankasvatusta mahdollista lisätä huomattavasti". <http://www.lohikunta.fi/ajankohtaista/page/3/>.

Lohikunta, 7.8.2016, "Kirjolohta syömällä Itämeri parempaan kuntoon".  
<http://www.lohikunta.fi/ajankohtaista/page/3/>.

Szlinger-Richert, J., Usydus, Z., Wyszynski, M. & Adamczyk, M., 2010, "Variation in fat content and fatty-acid composition of the Baltic herring *Clupea harengus membras*", Journal of fish biology, vol. 77, no. 3, pp. 585-599.

- Taheri, A., Sabeena Farvin, K.H., Jacobsen, C. & Baron, C.P., 2014, "Antioxidant activities and functional properties of protein and peptide fractions isolated from salted herring brine", *Food Chem.*, vol. 142, pp. 318-326.
- Tahvonen, R., Aro, T., Nurmi, J. & Kallio, H., 2000, "Mineral Content in Baltic Herring and Baltic Herring Products", *JOURNAL OF FOOD COMPOSITION AND ANALYSIS*, .
- Taipale, S.J., Vuorio, K., Strandberg, U., Kahlainen, K.K., Järvinen, M., Hiltunen, M. & Peltomaa, E. & Kankaala, P., 2016, "Lake eutrophication and brownification downgrade availability and transfer of essential fatty acids for human consumption", *Environment International*, vol. 96, pp. 156-166.
- Tenyang, N., Womeni, H.M., Linder, M., Tiencheu, B., Villeneuve, P. & Tchouanguep Mbiapo, F., 2014, "The chemical composition, fatty acid, amino acid profiles and mineral content of six fish species commercialized on the Wouri river coast in Cameroon", *LA RIVISTA ITALIANA DELLE SOSTANZE GRASSE GRASSE*, vol. XCI.
- Thorkelsson, G. & Kristinsson, H.G., 2009, "Bioactive Peptides from Marine Sources. State of Art", Report to the NORA fund.
- Tuomisto, J.T., Niittynen, M., Turunen, A., Ung-Lanki, S. Kiviranta, H., Harjunpää, H., Vuorinen, P.J., Rokka, M., Ritvanen, T. & Hallikainen, A., 2015, "Itämeren silakka ravintona – Hyöty-haitta-analyysi", *Evirän tutkimuksia 1/2015, Elintarviketurvallisuusvirasto Evira*.
- Udenigwe, C.C. & Aluko, R.E., 2012, "Food Protein-Derived Bioactive Peptides: Production, Processing, and Potential Health Benefits", *Journal of Food Science*, vol. 77, no. 1, pp. R11-R24.
- USDA National Nutrient Database for Standard Reference, Full Report (All Nutrients) 15039, Fish, herring, Atlantic, raw. [https://ndb.nal.usda.gov/ndb/foods/show/4521?manu=&fgcd=&ds=\[2016,10/06\]](https://ndb.nal.usda.gov/ndb/foods/show/4521?manu=&fgcd=&ds=[2016,10/06]).
- Usydus, Z., Szlinder-Richert, J. & Adamczyk, M., 2009, "Protein quality and amino acid profiles of fish products available in Poland", *Food. Chem.*, vol. 112, pp. 139-145.
- Usydus, Z. & Szlinder-Richert, J., 2012, "Functional properties of fish and fish products: A review", *International Journal of Food Properties*, vol. 15, no. 4, pp. 823-846.
- Venkatesan J, Anil S, Kim SK, Shim MS., 2017, "Marine Fish Proteins and Peptides for Cosmeceuticals: A Review", *Mar Drugs*. 2017 May 18;15(5).
- Vielma, J., Setälä, J., Airaksinen, S., Kankainen, M., Tarkki, V., Kaitaranta, J., Norström, A. & Nurmio, J., 2013, "Vähäarvoisen kalamateriaalin jalostus lisäarvotuotteiksi – liiketoimintanäkymät", *RKT:n työraportteja*, vol. 28.
- Vissesangua, W. and Benjakul, S., 2012, "Biological Activities and Production of Marine-Derived Peptides", in *Food Biochemistry and Food Processing*, Second Edition (ed B. K. Simpson), Wiley-Blackwell, Oxford, UK.
- Vuorela, R., Kaitaranta, J. & Linko, R.R., 1979, "Proximate Composition of Fish Roe in Relation to Maturity", *Canadian Institute of Food Science and Technology Journal*, vol. 12, no. 4, pp. 186-188.

Whitehead, R.J., 2012, "Herring enzymes hold key to long life". <http://www.foodnavigator-asia.com/Formulation/Herring-enzymes-hold-key-to-long-life>.

Whole Earth and Sea, "Herring Gold". <http://www.wholeearthsea.com/product/herring-gold-omega-3/>.

YLE uutiset, 2015, "Silakkaa ruokapöytään, mutta kirjolohena ilman dioksiinia".  
[http://yle.fi/uutiset/silakkaa\\_ruokapoyaan\\_mutta\\_kirjolohena\\_ilman\\_dioksiinia/8063180](http://yle.fi/uutiset/silakkaa_ruokapoyaan_mutta_kirjolohena_ilman_dioksiinia/8063180).

YLE uutiset, 2016. "Kotimainen kirjolohi voi korvata norjanlohen lautasiltamme – Kalankasvatusta mahdollista lisätä huomattavasti".

Öhrvik, V, von Malmborg, A, Mattisson, I, Wretling, S & Åstrand, C., 2012, "Fisk, skaldjur och fiskprodukter - analys av näringssämnen", Livsmedelsverkets rapportserie, nr 1/2012.